

Borehole Information

Borehole Number:

105/25/K004/1D/H4

Prospecting Company: De Beers Holdings Botswana

Prospecting License No.: PL31/88

Coordinates Type: WGS 84

Coordinates Format: Decimal Degrees

Coordinates: -22.702943 , 27.897686

Location: Lerala

Start Drill: N/A

End Drill: N/A

Borehole Type: Exploration

Drilling Method: Core

Sample Type: Core

Depth of Surface Casing: N/A

Azimuth: Degrees

Hole Inclination: N/A

Collar Elevation: N/A

Borehole Water Strike: N/A

End of Hole (Depth): 107 Metres

Log Formation:

No.	From (m)	To (m)	Log Formation
1.	0	1	Red brown Topsoil with calcrete.
2.	1	3	90% Amphibolitebolite serpentinitised olive green poorly macrocrystic kimberlite with highly variable inclusion content,30% kfspars gneiss.
3.	3	7	5-10% kfspars.
4.	7	9	100% kfspars gneiss.
5.	9	13	100% chloritised felsic gneiss.
6.	13	16	Inclusion variable, poorly phlog & ol macrocrystic kimberlite, TKB, kimberlite is difficult to characterise.
7.	16	19	5% kfspars.
8.	19	22	>99% pink gneiss.
9.	22	23	100% pink gneiss k coating.
10.	23	26	50% kfspars and Amphibolitebolite.
11.	26	28	>95% qf gneiss.
12.	28	30	5% kfspars.
13.	30	32	40% pink kfspars.
14.	32	36	20% kfspars.

Physical Address: Plot 11566, Khama 1 Avenue, Lobatse, Botswana

Postal Address: Private Bag 0014, Lobatse, Botswana

Telephone: +267 533 0327 / +267 533 0428 **Fax:** +267 533 4295

Email: info@bgi.org.bw **Website:** www.bgi.org.bw

Page Number: 1 | **Date/Time Stamp:** Wed, 22 Jan 25 18:51:07 +0200





Borehole Information

15.	36	39	20% kfs Amphiboliteibolite.
16.	39	49	80% kfs.
17.	49	54	>95% kfs gneiss.
18.	54	59	1% kfs & Amphiboliteibolite.
19.	59	63	Grey, generally features other than some
20.	63	69	10% kfspar.
21.	69	73	Inclusion rich olive green/grey kimberlite, TKB phlogopite bearing.
22.	73	78	50% kfs Amphiboliteibolite.
23.	78	79	80% Amphiboliteibolite & kfspar.
24.	79	80	99% bt/Amphiboliteib gneiss.
25.	80	81	90-95% inclusions.
26.	81	83	90% fine grain Amphiboliteibolite.
27.	83	84	95% kp gneiss.
28.	84	85	95% biotite bearing microcratic gneiss.
29.	85	89	Biotite bearing quartzo feldsparthic gneisses with rare chips of kimberlite - may only be contamination.
30.	89	107	Predominantly chloritised QF gneiss with 1-5% macrocrystic phlogopite bearing kimberlite.

NB: For any enquiries, application, acquisition or verifications related to Water Boreholes, kindly contact the Department of Water and Sanitation for assistance.

